

Notified Body  
Nr. 0036



Industrie Service

## Certificate of conformity of the factory production control

0036 CPR 91409 004

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

### Connecting flue pipe type RFI-EKC

#### models

<b>Model 1 DN 60 – DN 600</b>	<b>EN 1856-2 T200 P1 W V2 L50060 O50 M</b>
<b>Model 2 DN 60 – DN 600</b>	<b>EN 1856-2 T200 H1 W V2 L50060 O50 M</b>
<b>Model 3 DN 60 – DN 120</b>	<b>EN 1856-2 T400 H1 W V2 L50060 G375 NM</b>
<b>Model 3 DN 130</b>	<b>EN 1856-2 T400 H1 W V2 L50060 G390 NM</b>
<b>Model 3 &gt;DN 130 – DN 150</b>	<b>EN 1856-2 T400 H1 W V2 L50060 G450 NM</b>
<b>Model 3 DN 60 – DN 600</b>	<b>EN 1856-2 T400 H1 W V2 L50060 G500 M</b>
<b>Model 4 DN 60 – DN 600</b>	<b>EN 1856-2 T400 N1 D V2 L50060 G400 M</b>

produced by

**Ventlink AB**  
**Sövdeborgsgatan 13**  
**21619 Malmö, SWEDEN**

in the manufacturing plants

**Plant 1**

**Plant 2**

**Plant 3**

**Plant 5**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

**EN 1856-2:2009-06**

under system 2+ are applied and that the factory production control fulfils all the prescribed requirements set out above.

The determination of the product type on the basis of type testing is documented in: TÜV SÜD Industrie Service GmbH, report A 1896-00/10, A 1896-01/12 and A 1896-02/12.

This certificate was first issued on 2018-04-20 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

Munich, 2018-04-20

Johannes Steiglechner  
 Leiter Zertifizierungsstelle Bauprodukte (EG)